



- NOTES:**
- HS-25 LOAD RATED
 - CONCRETE 5,000 PSI @ 28 DAYS
 - REINFORCING: AS SPECIFIED, GRADE 60 REBAR
 - BASE WEIGHT: 5,090 LBS.
 - WEIGHT PER V.F.: 2,020 LBS.
 - TOP SLAB WEIGHT: 3,650 LBS.
 - MANUFACTURED IN ACCORDANCE WITH ASTM C-913
 - STEPS: STEEL REINFORCED POLYPROPYLENE COATED, DOT APPROVED

PEERLESS CONCRETE PRODUCTS CO.		246 Main Street Butler, NJ 07405 973.838.3060p	
SINCE 1959			
sales@peerlessconcrete.com		www.peerlessconcrete.com	
6'-0" X 6'-0" CATCH BASIN WITH TOP SLAB			
CUSTOMER:			
PROJECT:			
SCALE: N.T.S.	DATE: 12/2023	EST#:	C-16